

AUG 16 2006

CLARK & BRODY
1090 Vermont Ave. N.W.
Suite 250
Washington, D.C. 20005
Telephone: (202) 835-1111
Telecopy: (202) 835-1755


FACSIMILE TRANSMITTAL SHEET

PLEASE DELIVER TO: USPTO
FACSIMILE NUMBER: 571-273-8700

SENDER: Conrad Clark
DATE: August 16, 2006
CLIENT NO. 70869-113; SERIAL NO. 10/629,825
NUMBER OF PAGES (INCLUDING COVER PAGE): 2

COMMENTS:

I hereby certify that the attached Amendment is being sent to the USPTO at the above number by facsimile on the noted date.


Conrad J. Clark

If not all pages are received, please contact *Tracy Boyden* at (202) 835-1111.

Only the individual or entity to which it is addressed may use this information. It may contain information that is privileged, confidential and otherwise exempt by law from disclosure. If the reader of this message is not the intended recipient, or an employee or agent responsible for delivering this message to its intended recipient, you are herewith notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify us by telephone immediately and return this communication to us at the above address via the United States Postal Service. Thank you.

AUG 16 2006

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Ellsworth et al.

Serial No.: 10/629,825

Filed: July 30, 2003

For: DECANTING CENTRIFUGE WITH
VIBRATION ISOLATION


Art Unit: 3746

Examiner: Cooley

NOTICE OF APPEALHon. Commissioner for Patents
Alexandria, Virginia 22313-1450

SIR:

Applicants hereby appeal from the final rejection of claims 1, 2 and 5.

All necessary extensions of time are hereby requested. Please charge any fee
deficiency and credit any excess to deposit account 50-1088.Respectfully submitted,
CLARK & BRODYConrad J. Clark
Reg. No. 30,340Suite 250
1090 Vermont Ave., NW
Washington, D.C. 20005
202-835-1111
202-835-1755(fax)
August 16, 2006